

Upper parking area notes:

1. Plan for 6+ spaces
2. Preserve mature trees as feasible
3. Parking spaces between trees?
50' between trees (left)
40' between trees (right)

Lower parking area notes:

1. Plan for 6+ spaces
2. Relatively flat area
3. Could be phased - TBD

- LEGEND**
1. Upper parking area - el. 1,065'
 2. Gate/barrier required to limit access
 3. Bowl/depression
 4. Gentle slopes/existing paths
 5. Maintain buffer at property edge
 6. Steep slope - 15%
 7. Vantage point - el. 955'
 8. Steep ridge / drop-off
 9. Existing Residence
 10. Potential woods trail
 11. Existing informal ridge trail
 12. Pavilion plateau - **VIEWS**, el. 825'
 13. Potential switchback area
 14. Steep slope - 15%
 15. Lower parking area - el. 735'
 16. Potential future phase(s)
- Note: All measurements are approximate




LEGEND

1. Upper parking lot
2. Buffer at property line
3. One entry to plateau area
4. Future pavilion location
5. Lower Parking Lot

Key Takeaways

- Slope ranges from less than 5% to 15% maximum.
- Total elevation change: 280 ft
- Total length: 0.7 miles
- 0.25 miles from lower parking area to pavilion





- LEGEND**
1. Dark Green trail:
Less than 5% gradient
 2. Light Green trail:
5-10% gradient
 3. Yellow trail:
12.5% gradient
 4. Red trail:
15% gradient

